




Aluminiumvinkel		AlMg3 F18	AlMgSi0,5 F22	AlMg4,5Mn F28	AlMgSi1 F28/32	Aluminiumvinkel		AlMg3 F18	AlMgSi0,5 F22	AlMg4,5Mn F28	AlMgSi1 F28/32
		AA 3754 F	AA 6060/63 T6	AA 5083 F	AA 6082 T6			AA 3754 F	AA 6060/63 T6	AA 5083 F	AA 6082 T6
DIN 1725/1748/1771	kg/m <sup>2</sup>					DIN 1725/1748/1771	kg/m <sup>2</sup>				
10×10×2,00	0,10		●			35×10×2,0	0,25		●		
						35×15×3,0	0,40		●		
12×12×2,0	0,12		●			35×20×2,0	0,30		●		
						35×20×3,0	0,44		●		
15×10×2,0	0,13		●			35×25×3,0	0,50		●		
15×15×2,0	0,16		●			35×35×2,0	0,39		●		
15×15×3,0	0,23	●	●			35×35×3,0	0,57		●		
						35×35×4,0	0,75	●	●	●	
20×10×2,0	0,16		●			35×35×5,0	0,92		●	●	●
20×10×3,0	0,23		●			35×35×6,0	1,09		●		
20×15×2,0	0,20		●								
20×15×2,5	0,23		●			40×10×2,0	0,27		●		
20×15×3,0	0,27		●			40×15×2,0	0,30		●		
20×20×2,0	0,22	●	●	●	●	40×20×2,0	0,33	●	●		
20×20×3,0	0,32	●	●	●	●	40×20×2,5	0,41		●		
20×20×4,0	0,41		●			40×20×3,0	0,49	●	●		
20×20×5,0	0,49		●			40×20×4,0	0,64	●	●		
						40×20×5,0	0,78		●		
25×10×2,0	0,19		●			40×25×2,0	0,36		●		
25×10×3,0	0,27		●			40×25×3,0	0,53		●		
25×15×2,0	0,22		●			40×25×4,0	0,69	●	●	●	
25×15×3,0	0,32		●			40×30×2,0	0,39		●		
25×20×2,0	0,24		●			40×30×3,0	0,57	●	●		
25×20×3,0	0,36	●	●	●		40×30×4,0	0,75	●	●		●
25×25×2,0	0,27		●			40×30×5,0	0,92		●	●	
25×25×3,0	0,40	●	●	●		40×40×2,0	0,44		●		
25×25×4,0	0,51		●			40×40×3,0	0,66		●		
25×25×5,0	0,64		●			40×40×4,0	0,86	●	●	●	X
25×25×6,0	0,75		●	●		40×40×5,0	1,06	●	●	●	X
						40×40×6,0	1,26		●		
30×10×2,0	0,22		●								
30×10×3,0	0,31	●	●			45×10×2,0	0,30		●		
30×13×3,0	0,34		●			45×15×2,0	0,33		●		
30×15×2,0	0,24		●			45×20×2,0	0,36		●		
30×15×3,0	0,36		●			45×20×3,0	0,53		●		
30×15×5,0	0,57		●			45×25×2,0	0,39		●		
30×20×2,0	0,27		●			45×30×3,0	0,62		●		
30×20×3,0	0,40	●	●			45×45×2,0	0,50		●		
30×20×4,0	0,52		●			45×45×4,0	0,98		●		
30×25×2,5	0,42		●			45×45×5,0	1,21		●		
30×25×3,0	0,44	●	●								
30×30×2,0	0,33	●	●	●		50×15×2,0	0,36		●		
30×30×3,0	0,49	●	●	●	X	50×15×3,0	0,54		●		
						50×20×2,0	0,39		●		
30×30×4,0	0,64	●	●	●	X	50×20×2,5	0,48		●		
30×30×5,0	0,78	●	●			50×20×3,0	0,57		●		
						50×20×4,0	0,75	●	●		
						50×25×1,5	0,31		●		
						50×25×2,0	0,41		●		

Aluminiumvinkel		Aluminiumvinkel				Aluminiumvinkel		Aluminiumvinkel			
L	DIN 1725/1748/1771 kg/m <sup>2</sup>	AlMg3 F18	AlMgSi0,5 F22	AlMg4,5Mn F28	AlMgSi1 F28/32	L	DIN 1725/1748/1771 kg/m	AlMg3 F18	AlMgSi0,5 F22	AlMg4,5Mn F28	AlMgSi1 F28/32
		AA 3754 F	AA 6060/63 T6	AA 5083 F	AA 6082 T6			AA 3754 F	AA 6060/63 T6	AA 5083 F	AA 6082 T6
50×25× 2,5	0,51		●			60×50× 4,0	1,20	●	●		
50×25× 3,0	0,61	●	●		●	60×50× 5,0	1,49	●	●		●
50×25× 4,0	0,81	●	●			60×60× 2,0	0,66		●		
50×25× 5,0	1,00		●			60×60× 3,0	1,00	●	●		
50×30× 2,0	0,44		●			60×60× 4,0	1,32		●		X
50×30× 3,0	0,66	●	●		X	60×60× 5,0	1,63		●	●	X
50×30× 4,0	0,86	●	●	●	●	60×60× 6,0	1,94	●	●	●	
50×30× 5,0	1,06	●	●	●	●	60×60× 7,0	2,24		●	●	
50×35× 4,0	0,92		●			60×60× 8,0	2,54	●	●		●
50×35× 5,0	1,15	●	●	●	●	60×60×10,0	3,12		●		●
50×40× 2,0	0,50		●			65×15× 2,0	0,44		●		
50×40× 3,0	0,74		●			65×50× 5,0	1,31			●	
50×40× 4,0	0,98		●			65×50× 6,0	1,85			●	
50×40× 5,0	1,21	●	●	●	●	70×15× 2,0	0,47		●		
50×50× 2,0	0,56		●			70×30× 2,0	0,55		●		
50×50× 3,0	0,83		●			70×30× 3,0	0,83	●	●		
50×50× 4,0	1,09	●	●	●		70×50× 5,0	1,64		●		
50×50× 5,0	1,35	●	●	●	X	70×60× 6,0	2,11		●		●
50×50× 6,0	1,60	●	●	●	X	70×70× 6,0	2,28		●		
50×50× 8,0	2,09	●	●			75×50× 5,0	1,70	●	●	●	●
50×50×10,0	2,55		●			75×50× 6,0	2,02		●	●	●
						75×50× 7,0	2,34		●	●	
60×10× 2,0	0,39		●			75×75× 6,0	2,45		●	●	
60×15× 2,0	0,41		●			80×15× 2,0	0,53		●		
60×20× 2,0	0,44		●			80×20× 2,0	0,56		●		
60×20× 2,5	0,55		●			80×25× 2,5	0,73		●		
60×20× 3,0	0,66		●			80×30× 3,0	0,91		●		
60×25× 2,0	0,47		●			80×40× 2,0	0,67		●		
60×25× 3,0	0,70		●			80×40× 3,0	1,00		●		
60×25× 4,0	0,94		●			80×40× 4,0	1,32		●	●	●
60×30× 2,0	0,50		●			80×40× 5,0	1,63		●		
60×30× 3,0	0,74		●	●	X	80×40× 6,0	1,94	●	●	●	●
60×30× 4,0	0,98	●	●	●	●	80×40× 8,0	2,54		●		
60×30× 5,0	1,21	●	●	●	●	80×50× 5,0	1,78		●		
60×40× 2,0	0,56		●			80×50× 6,0	2,11		●	●	●
60×40× 3,0	0,83		●			80×60× 6,0	2,36		●		
60×40× 4,0	1,09		●		●	80×80× 3,0	1,34		●		
60×40× 5,0	1,35	●	●	●	●	80×80× 4,0	1,77		●		
60×40× 6,0	1,60		●	●	●	80×80× 5,0	2,24		●		X
60×50× 2,0	0,61		●			80×80× 6,0	2,62		●		

Aluminiumvinkel		AlMg3 F1B	AlMgSi0,5 F22	AlMg4,5Mn F2B	AlMgSi1 F2B/32
	DIN 1725/1748/ 1771	AA 5754 F	AA 6060/63 T6	AA 5083 F	AA 6082 T6
	kg/m				
80 x 80 x 8,0	3,45	●	●	●	X
80 x 80 x 10,0	4,25		●		●
80 x 80 x 12,0	5,04		●		
90 x 90 x 3,0	1,58		●		
100 x 20 x 2,0	0,67		●		
100 x 30 x 3,0	1,08		●		
100 x 40 x 4,0	1,54		●		●
100 x 40 x 6,0	2,31		●		
100 x 50 x 3,0	1,25		●		
100 x 50 x 4,0	1,66		●		●
100 x 50 x 5,0	2,06	●	●		●
100 x 50 x 6,0	2,45	●	●	●	●
100 x 50 x 8,0	3,22		●		●
100 x 50 x 10,0	3,97	●	●	●	●
100 x 60 x 6,0	2,52		●	●	●
100 x 60 x 8,0	3,45		●	●	●
100 x 70 x 2,0	0,95		●		
100 x 80 x 10,0	4,82		●		
100 x 100 x 4,0	2,22		●		
100 x 100 x 6,0	3,30		●		X
100 x 100 x 10,0	5,39	●	●		
120 x 40 x 4,0	1,77		●		
120 x 50 x 5,0	2,34		●		
120 x 60 x 2,0	1,01		●		
120 x 60 x 6,0	2,96		●		
120 x 60 x 8,0	3,97		●		●
120 x 80 x 3,0	1,67		●		
120 x 80 x 10,0	5,39	●	●		
120 x 120 x 8,0	5,46		●		
120 x 120 x 13,0	8,37		●		
125 x 80 x 8,0	4,47		●		X
130 x 30 x 3,0	1,34	●	●		
130 x 75 x 9,0	5,00		●		
130 x 80 x 8,0	4,46		●		
150 x 40 x 4,0	2,11		●		
150 x 50 x 4,0	2,23		●		
150 x 75 x 10,0	6,10		●		
150 x 100 x 5,0	3,47		●		
180 x 80 x 10,0	7,09		●		
180 x 150 x 6,0	5,51		●		
200 x 100 x 10,0	8,22		●		
152,4 x 152,4 x 12,7	10 10				X

I tillegg i 6082 T6/AlMgSi 1 F28/32  
 90 x 90 x 5 2,39  
 70 x 70 x 7 2,54  
 100 x 64 x 8 3,41

ALUMINIUM ANGLE  
EQUAL

Alloy	Size and Thickness (inches unless otherwise stated)		Wt.Kg/m
6063T5	3/8*3/8	*1/16	.079
6063T6	1/2*1/2	*1/16	.104
6082T6	1/2*1/2	*1/8	.192
6063T6	5/8*5/8	*1/16	.130
6082T6	5/8*5/8	*1/8	.250
6063T6	3/4*3/4	*1/16	.160
6082T6	3/4*3/4	*1/8	.302
6082T6	3/4*3/4	*3/16	.46
6082T6	7/8*7/8	*1/8	.360
6082T6	25mm*25mm	2.5mm	.323
6063T6	1*1	*1/16	.213
6082T6	1*1	*1/8	.411
6082T4	1*1	*1/8	.411
6082T6	1*1	*3/16	.600
6082T6	1*1	*1/4	.770
6082T6	1.1/8*1.1/8	*1/8	.466
6063T6	1.1/4*1.1/4	*1/16	.270
6082T6	1.1/4*1.1/4	*1/8	.520
6082T4	1.1/4*1.1/4	*3/16	.760
6082T6	1.1/4*1.1/4	*3/16	.760
6082T6	1.1/4*1.1/4	*1/4	.990
6082T6	1.1/2*1.1/2	*1/16	.330
6082T6	1.1/2*1.1/2	*1/8	.631
6082T6	1.1/2*1.1/2	*3/16	.930
6082T6	1.1/2*1.1/2	*1/4	1.120
6082T4	1.1/2*1.1/2	*1/4	1.120
6082T6	40mm*40mm	*5mm	1.020
6082T6	1.3/4*1.3/4	*1/8	.744
6082T6	1.3/4*1.3/4	*1/4	1.430
6063T6	2*2	*1/16	.043
6082T6	2*2	*1/8	.851
6082T6	2*2	*3/16	1.260
6082T4	2*2	*1/4	1.652
6082T6	2*2	*1/4	1.652
6082T6	2*2	*5/16	2.030
6082T6	2*2	*3/8	2.460
6082T6	2.1/2*2.1/2	*1/8	1.070

6082T6	2.1/2*2.1/2	*3/16	1.592
6082T6	2.1/2*2.1/2	*1/4	2.083
6082T6	2.1/2*2.1/2	*3/8	3.040
6082T6	3*3	*1/8	1.248
6082T6	3*3	*3/16	1.910
6082T6	3*3	*1/4	2.550
6082T6	3*3	*3/8	3.705
6082T6	3*3	*1/2	4.830
6082T6	80mm*80mm	*8mm	3.300
6082T6	3.1/2*3.1/2	*1/4rad.rt	3.006
6082T6	3.1/2*3.1/2	*3/8	4.400
6082T6	4*4	*1/8	1.700
6082T6	4*4	*1/4rad.rt	3.467
6082T6	4*4	*1/4	3.40
6082T6	4*4	*5/16	4.220
6082T6	4*4	*3/8	5.020
6082T6	4*4	*1/2rad.rt	6.620
6082T6	5*5	*3/8rad.rt	6.278
6082T6	6*6	*1/2rad.rt	10.100

ALUMINIUM ANGLE  
UNEQUAL

Alloy	Size and Thickness (inches unless otherwise stated)		Wt.Kg/l
6063T6	3/4*3/8	*1/16	.120
6082T6	3/4*1/2	*1/8	.247
6082T6	7/8*1/2	*1/8	.274
6063T6	25mm*12mm	2mm	.20
6063T6	1*1/2	*1/16	.160
6082T6	1*1/2	*1/8	.302
6082T6	1*5/8	*1/8	.328
6082T6	1*3/4	*1/16	.190
6082T6	1*3/4	*1/8	.357
6082T6	1.1/4*3/4	*1/8	.411
6082T6	1.1/4*1	*1/8	.466
6063T6	1.1/2*1/2	*1/16	.210
6082T6	1.1/2*1/2	*1/8	.411
6082T6	1.1/2*1/2	*3/16	.594
6082T6	1.1/2*3/4	*1/8	.466
6082T6	1.1/2*1	*1/8	.522
6082T6	1.1/2*1	*3/16	.783
6082T6	1.3/4*1	*1/8	.59
6082T6	1.3/4*1.1/8	*1/8	.602
6082T6	1.3/4*1.1/4	*1/8	.629
6063T6	2*1/2	*1/8	.522
6082T6	65mm*50mm	6mm	
6082T6	2*3/4	*1/8	.59
6063T6	2*3/4	*1/8	.576
6082T6	2*1	*1/8	.631
6082T6	2*1	*3/16	.922
6082T6	2*1	*1/4	1.205
6082T6	2*1.1/2	*1/8	.741
6082T6	2*1.1/2	*3/16	1.101
6082T6	2*1.1/2	*1/4	1.427
6082T6	2.1/4*1.1/4	*1/8	.741
6082T6	2.1/2 * 1	*1/8	.741
6082T6	2.1/2*1.1/2	*1/8	.851
6082T6	2.1/2*1.1/2	*3/16	1.250
6082T6	2.1/2*1.1/2	*1/4	1.650
6082T6	2.1/2*2	*1/4	1.880

6082T6	3*1	*1/8	.850
6082T6	3*1.1/2	*1/8	.958
6082T6	3*1.1/2	*3/16	1.450
6082T6	3*1.1/2	*1/4	1.860
6082T6	3*2	*1/8	1.070
6082T6	3*2	*3/16	1.580
6082T6	3*2	*1/4	2.083
6082T6	3*2	*1/4rad.rt	2.110
6082T6	3.1/2*1	*1/4	1.860
6082T6	4*1	*1/8	1.070
6082T6	4*2	*1/8	1.284
6082T6	4*2	*3/16	1.960
6082T6	4*2	*1/4	2.520
6082T6	4*3	*1/4	2.960
6082T6	4*3	*5/16rad.rt	3.705
6082T6	4*3	*3/8	4.39
6082T6	5*3	*1/4rad.rt	3.420
6082T6	6	1.1/2	
6082T6	6*3	*1/4rad.rt	3.631
6082T6	6*3	*3/8rad.rt	5.744
6082T6	6*3	*1/2	7.49
6082T6	200mm*100mm	10mm	