

Kobber

[Plater](#)

[Kveil](#)

[Runderør](#)

[Firkantrør](#)

[rundbolt](#)

[Firkantbolt](#)

[Sekskantbolt](#)

[Flatskinner](#)

[Spesialvarianter](#)

alunor as

aluminiumspesialisten

☎Gjerdrumsvei 10A-0486 Oslo • 📞2300 6580 • 📠Fax:2300 6581



SHEETS

size mm x Format	weight kg/m ²	E-Cu C 1100	E-Cu C 1100	E-Cu C 1100	E-Cu C 1100	SF-Cu C 12200	SF-Cu C 12200	SE-Cu C 10200
		F20 soft	F25 half hard	F30 hard	hard as rolled	F20 soft	F25 hard	hard as rolled
0.03 x 300 x 650	0.28						●	
0.03 x 300 x 650	0.28						●	
0.04 x 300 x 650	0.38						●	
0.05 x 300 x 650	0.47					●		
0.10 x 600 x 600	0.94						●	
0.40 x 600 x 2000	3.77							
0.50 x 1000 x 2000	4.72	●	●			●	●	
0.60 x 1000 x 2000	5.66					●	●	
0.65 x 1000 x 2000	6.13					●	●	
0.70 x 1000 x 2000	6.60					●	●	
x 1250 x 2500							●	
0.80 x 1000 x 2000	7.54	●	●			●	●	
x 1250 x 2500							●	
1.00 x 1000 x 2000	9.43	●	●			●	●	
x 1250 x 2500							●	
1.20 x 1000 x 2000	11.53		●			●	●	
1.50 x 1000 x 2000	14.42	●	●			●	●	
x 1250 x 2500							●	
2.00 x 1000 x 2000	19.22	●	●			●	●	●
x 1250 x 2500							●	
2.50 x 1000 x 2000	24.03	●	●			●	●	
3.00 x 1000 x 2000	28.83	●	●			●	●	
4.00 x 1000 x 2000	38.44	●	●			●	●	●
5.00 x 1000 x 2000	48.05	●	●		●		●	●
6.00 x 1000 x 2000	57.66	●	●		●	●		●
8.00 x 1000 x 2000	76.88	●	●		●		●	●
10.00 x 1000 x 2000	96.10	●	●		●		●	●
12.00 x 1000 x 2000	115.32		●		●		●	●
15.00 x 1000 x 2000	144.15		●		●		●	●
20.00 x 1000 x 2000	192.20				●		●	●
25.00 x 1000 x 2000	240.25				●		●	●
30.00 x 1000 x 3000	288.30				●		●	●
35.00 x 1000 x 3000	336.35				●		●	●
40.00 x 1000 x 3000	384.40				●		●	●
45.00 x 800 x 3000	424.40				●		●	●
50.00 x 800 x 3000	480.50				●		●	●
55.00 x 800 x 3000	528.55				●		●	●
60.00 x 800 x 3000	576.60				●		●	●
70.00 x 800 x 3000	672.70				●		●	●
80.00 x 500 x 3000	768.88				●		●	●
90.00 x 500 x 3000	864.90				●		●	●
100.00 x 800 x 2000	961.00				●		●	●
120.00 x 500 x 2000	1155.00				●		●	●
150.00 x 500 x 2000	1441.50				●		●	●
	0.20	●	●	●				
	0.25	●	●	●				
	0.30	●	●	●				
	0.40	●	●	●				
	0.50	●	●	●				
	0.60	●	●	●				
	0.70	●	●	●				
	0.80	●	●	●				
	0.90	●	●	●				
	1.00	●	●	●				
	1.25	●	●	●				
	1.50	●	●	●				
	2.00	●	●	●				
	2.50	●	●	●				
	3.00	●	●	●				

DIN 1787
17670
1751
40500

C 11000 = Electrolytic copper
C 12200 = Oxygen-free copper

Our Service-Centre supplies any cut size!



COILS

DIN 1787
1791
40500

We slit any width from 10 mm to 550 mm. There are no minimum quantities.




TUBES

		SF-Cu C 12200			SF-Cu C 12200			SF-Cu C 12200
	kg/m			kg/m		kg/m		
3 x 1.0	0.06	●	20 x 1.0	0.56	●	35 x 1.0	0.99	●
4 x 1.0	0.08	●	x 1.5*	0.82	●	x 1.5*	1.49	●
5 x 1.0	0.12	●	x 2.0	1.06	●	x 2.0	1.93	●
6 x 1.0	0.15	●	x 2.5	1.29	●	x 2.5	2.38	●
x 1.5	0.20	●	x 3.0	1.50	●	x 3.0	3.65	●
7 x 1.0	0.19	●	x 3.5	1.70	●	x 4.0	3.64	●
8 x 1.0*	0.21	●	x 4.0	1.87	●	x 5.0	4.39	●
x 1.5	0.29	●	x 5.0	2.21	●	36 x 2.0	1.99	●
x 2.0*	0.36	●	22 x 1.0	0.62	●	x 3.0	2.91	●
9 x 1.0	0.24	●	x 1.5*	0.90	●	38 x 1.5	1.62	●
10 x 1.0*	0.27	●	x 2.0	1.18	●	x 2.0	2.12	●
x 1.5	0.38	●	x 2.5	1.43	●	x 2.5	2.61	●
x 2.0*	0.47	●	x 3.0	1.67	●	x 3.0	3.09	●
x 2.5	0.55	●	x 3.5	1.90	●	x 4.0	3.99	●
x 3.0	0.62	●	x 4.0	2.11	●	40 x 1.0	1.14	●
11 x 1.0	0.29	●	23 x 1.0	0.65	●	x 1.5	1.69	●
x 1.5	0.42	●	x 1.5	0.95	●	x 2.0	2.23	●
x 2.0	0.53	●	24 x 1.5	0.99	●	x 2.5	2.75	●
x 3.0	0.71	●	x 2.0	1.29	●	x 3.0	3.26	●
12 x 1.0*	0.32	●	x 3.0	1.84	●	x 4.0	4.23	●
x 1.5*	0.46	●	x 4.0	2.35	●	x 5.0	5.14	●
x 2.0*	0.59	●	25 x 1.0	0.70	●	x 6.0	5.98	●
x 2.5	0.69	●	x 1.5*	1.03	●	x 10.0**	8.81	●
x 3.0	0.80	●	x 2.0*	1.35	●	42 x 1.5	1.80	●
13 x 1.0	0.35	●	x 2.5	1.66	●	x 2.0	2.35	●
x 1.5	0.50	●	x 3.0	1.94	●	x 2.5	2.89	●
x 2.0	0.65	●	x 4.0	2.46	●	x 3.0	3.43	●
x 2.5	0.77	●	x 5.0	2.94	●	x 4.0	4.46	●
x 3.0	0.88	●	x 6.0	3.35	●	43 x 4.5	5.32	●
14 x 1.0	0.38	●	28 x 1.0	0.79	●	x 9.0	9.41	●
x 1.5	0.56	●	x 1.5*	1.18	●	45 x 1.0	1.29	●
x 2.0*	0.70	●	x 2.0	1.54	●	x 1.5	1.92	●
x 2.5	0.84	●	x 2.5	1.87	●	x 2.0*	2.53	●
x 3.0	0.97	●	x 3.0	2.21	●	x 2.5*	3.13	●
x 4.0	1.18	●	x 4.0	2.81	●	x 3.0	3.70	●
15 x 1.0	0.41	●	x 6.0	3.87	●	x 4.0	4.54	●
x 1.5	0.60	●	30 x 1.0	0.85	●	x 5.0	5.88	●
x 2.0	0.77	●	x 1.5*	1.26	●	46 x 2.0	2.58	●
x 2.5	0.92	●	x 2.0	1.65	●	x 3.0	3.79	●
x 3.0	2.00	●	x 2.5	2.03	●	48 x 1.0	1.37	●
16 x 1.0	0.44	●	x 3.0	2.37	●	x 1.5	2.05	●
x 1.5*	0.64	●	x 3.5	2.71	●	x 2.0	2.70	●
x 2.0*	0.83	●	x 4.0	3.06	●	x 3.0	4.01	●
x 2.5	0.99	●	x 5.0	3.67	●	x 4.0	5.17	●
x 3.0	1.12	●	x 6.0	4.23	●	50 x 1.5	2.13	●
17 x 1.0	0.47	●	x 8.0	5.17	●	x 2.0	2.84	●
x 1.5	0.68	●	x 10.0**	5.86	●	x 2.5	3.49	●
x 2.0	0.88	●	32 x 1.5	1.35	●	x 3.0	4.15	●
x 2.5	1.06	●	x 2.0	1.76	●	x 4.0	5.41	●
x 3.0	1.23	●	x 3.0	2.56	●	x 5.0**	6.61	●
x 4.0	1.52	●	x 4.0	3.28	●	x 8.0	9.85	●
18 x 1.0	0.50	●	33 x 1.5*	1.49	●	x 10.0**	11.74	●
x 1.5*	0.74	●	x 2.0	1.93	●	x 15.0	15.44	●
x 2.0*	0.95	●	x 3.0	1.81	●	53 x 1.5	2.27	●
x 2.5	1.13	●	34 x 1.5	1.43	●	54 x 1.5	2.31	●
x 3.0	1.32	●	x 2.0	1.88	●	x 2.0	3.07	●
x 4.0	1.65	●	x 3.0	2.73	●	55 x 2.5	3.85	●
19 x 1.0	0.52	●	x 4.0	3.53	●	x 3.0	4.57	●
x 2.0	0.99	●	x 5.0	4.26	●	x 5.0	7.34	●
x 2.5	1.21	●				x 8.0	11.03	●
x 3.0	1.41	●				x 10.0**	13.21	●

DIN 1787
17671
1754

* also in alloy C 14200
** also in alloy C 10300

		SF-Cu C 12200			SF-Cu C 12200			SF-Cu C 12200
	kg/m		kg/m		kg/m			
56 x 3.0	4.67	●	75 x 2.5	5.32	●	108 x 2.5*	7.75	●
57 x 1.5*	2.45	●	76 x 2.0*	4.35	●	x 3.0	9.25	●
x 2.0*	3.23	●	x 2.5*	5.40	●	x 4.0*	12.21	●
x 2.5*	4.01	●	x 3.0*	6.44	●	110 x 2.0	15.59	●
x 3.0	4.75	●	80 x 2.0	4.57	●	x 5.0	15.44	●
x 3.5*	5.51	●	x 2.5	5.70	●	x 10.0	29.35	●
x 5.0	7.63	●	x 3.0	6.79	●	x 15.0	33.76	●
60 x 1.5	2.57	●	x 5.0	11.01	●	114 x 4.0	12.91	●
x 2.0	3.40	●	x 10.0**	20.58	●	120 x 5.0	16.88	●
x 2.5	4.22	●	x 11.0**	22.84	●	x 10.0**	32.29	●
x 3.0	5.02	●	x 15.0**	23.66	●	x 15.0	37.14	●
x 4.0	6.59	●	x 20.0**	35.21	●	124 x 7.0	24.05	●
x 5.0**	8.09	●	85 x 2.5	6.06	●	130 x 10.0**	35.21	●
x 6.0	9.51	●	x 3.0	7.22	●	133 x 3.0*	11.55	●
x 10.0**	14.70	●	x 5.0	11.73	●	135 x 5.0	19.07	●
x 15.0	16.90	●	x 10.0	22.01	●	x 10.0	36.69	●
63 x 2.0	3.75	●	x 12.0	24.64	●	x 15.0	42.20	●
x 3.0	5.53	●	x 15.0	30.81	●	140 x 5.0	19.81	●
65 x 2.5	4.59	●	x 20.0	38.15	●	x 7.5	30.56	●
x 3.0	5.46	●	86 x 3.0*	7.30	●	10.0**	38.16	●
x 5.0	8.81	●	89 x 2.0	5.11	●	x 15.0	43.89	●
x 12.0	18.66	●	x 2.5*	6.35	●	150 x 5.0	21.28	●
66 x 1.0	1.89	●	90 x 2.5	6.42	●	x 10.0**	41.10	●
x 3.0	5.56	●	x 3.0	7.04	●	x 15.0	47.27	●
70 x 2.0	3.99	●	x 4.0	10.10	●	155 x 5.0**	13.20	●
x 2.5	4.96	●	x 5.0**	12.50	●	x 20.0**	79.22	●
x 3.0	5.90	●	x 6.0**	14.79	●	160 x 10.0**	44.03	●
x 4.0	7.74	●	x 10.0**	23.48	●	170 x 10.0**	46.94	●
x 5.0	9.54	●	100 x 5.0	13.95	●	180 x 10.0**	49.90	●
x 6.0	11.27	●	x 10.0**	26.38	●	190 x 11.0	58.65	●
x 10.0**	17.64	●	104 x 2.0	5.98	●	219 x 3.0	19.05	●
x 12.5	21.59	●	105 x 10.0	39.61	●	220 x 10.0**	61.62	●
x 15.0	24.21	●	x 15.0	31.69	●	267 x 3.0	23.28	●




TUBES

DIN 1787
17671
1754

* also in alloy C 14200
** also in alloy C 10300

		SF-Cu C 12200			SF-Cu C 12200			SF-Cu C 12200
mm	kg/m		mm	kg/m	mm	kg/m		
4 x 4 x 0.5	0.06	●	x 10 x 2.0	0.57	●	x 12 x 1.0	0.53	●
x 4 x 1.0	0.11	●	12 x 6 x 1.0	0.61	●	x 12 x 1.5	0.77	●
5 x 3 x 0.5	0.06	●	x 6 x 1.5	0.40	●	x 14 x 2.0	1.07	●
x 5 x 0.5	0.08	●	x 8 x 1.0	0.33	●	x 20 x 1.5	1.01	●
x 5 x 1.0	0.14	●	x 10 x 1.3	0.46	●	22 x 16 x 3.0	1.87	●
6 x 6 x 1.0	0.18	●	x 10 x 2.0	0.65	●	26 x 17 x 3.0	2.05	●
7 x 5 x 1.0	0.18	●	x 12 x 1.0	0.40	●	30 x 10 x 1.5	0.99	●
8 x 5 x 1.0	0.20	●	15 x 10 x 1.0	0.41	●	45 x 35 x 4.0	5.13	●
x 6 x 1.0	0.21	●	x 10 x 1.5	0.59	●	50 x 15 x 2.0	2.17	●
x 8 x 1.5	0.25	●	16 x 12 x 1.0	0.47	●	60 x 40 x 4.0	6.55	●
x 8 x 1.5	0.35	●	x 14 x 1.0	0.50	●			
10 x 5 x 1.0	0.23	●	x 14 x 2.0	0.93	●			
x 6 x 1.0	0.25	●	18 x 18 x 1.0	0.61	●			
x 8 x 1.5	0.42	●	20 x 10 x 1.0	0.50	●			
x 10 x 1.0	0.32	●	x 10 x 2.0	0.92	●			



SQUARE TUBES

SE-Cu F20/F25
C 10300



**TUBES FOR
CONDENSERS AND
HEAT EXCHANGERS**

DIN 1785
1755
17660
17664

*We cut ex-stock tubes to any
required condenser length
guaranteeing highest tolerances
on length.*

size	CuZn 20Al2 C 68700	CuNi 10 Fe C 70600	size	CuZn 20Al2 C 68700	CuNi 10 Fe C 70600
6 x 1.0	●	●	16 x 1.0	●	●
8 x 1.0	●	●	x 1.2	●	●
10 x 1.0	●	●	x 1.5	●	●
x 1.5	●	●	x 2.0	●	●
11 x 1.0	●	●	18 x 1.0	●	●
12 x 1.0	●	●	x 1.2	●	●
x 1.2	●	●	x 1.5	●	●
x 1.5	●	●	19 x 1.2	●	●
14 x 1.0	●	●	x 1.5	●	●
x 1.2	●	●	20 x 1.0	●	●
x 1.5	●	●	x 1.5	●	●
15 x 1.0	●	●	22 x 1.2	●	●
x 1.2	●	●	25 x 1.5	●	●
x 1.5	●	●	x 2.0	●	●
			28 x 1.2	●	●
			x 1.5	●	●
			x 2.0	●	●



SEA WATER TUBES

*for SHIP and
OFFSHORE-CONSTRUCTION*

DIN 1785
17660
17664

*Of course we stock all connection
pieces such as:
BENDS - FLANGES -
REDUCERS - COLLARS
in all sizes.*

size	CuZn 20 AL2 C 68700	CuNi 10 Fe C 70600	size	CuZn 20 AL2 C 68700	CuNi 10 Fe C 70600
30 x 1.5	●	●	108 x 2.5	●	●
x 2.0	●	●	x 3.0	●	●
35 x 1.2	●	●	133 x 2.5	●	●
x 1.5	●	●	x 3.0	●	●
x 2.0	●	●	159 x 2.5	●	●
38 x 1.5	●	●	x 3.0	●	●
x 2.0	●	●	194 x 2.5	●	●
42 x 1.5	●	●	219 x 3.0	●	●
x 2.0	●	●	x 3.5	●	●
44 x 1.5	●	●	267 x 3.0	●	●
x 2.0	●	●	x 4.0	●	●
57 x 1.5	●	●	324 x 4.0	●	●
x 2.0	●	●	342 x 5.0	●	●
x 2.5	●	●	368 x 4.0	●	●
76 x 2.0	●	●			
x 2.5	●	●			
89 x 2.0	●	●			
x 2.5	●	●			


		E-Cu 57 C 11000		SF-Cu C 12200				E-Cu 57 C 11000		SF-Cu C 12200	
mm	kg/m			mm	kg/m	mm	kg/m	mm	kg/m		
2.5	0.05	●		22.0	3.55	●		70.0	35.96	●	
4.0	0.12	●									
4.5	0.15	●		23.0	3.71	●		75.0	41.19	●	
5.0	0.18	●		24.0	4.23	●		80.0	46.98	●	●
5.5	0.22	●		25.0	4.59	●		85.0	50.64	●	
				26.0	4.97	●		90.0	59.45	●	
6.0	0.26	●		27.0	5.11	●		100.0	73.36	●	●
6.5	0.31	●									
7.0	0.36	●		28.0	5.75	●		110.0	89.25	●	
8.0	0.47	●		30.0	6.60	●		115.0	92.72	●	
9.0	0.59	●		32.0	7.52	●		120.0	106.05	●	●
				33.0	7.99	●		130.0	123.90	●	●
10.0	0.74	●		34.0	8.48	●		135.0	133.69	●	
11.0	0.89	●									
12.0	1.06	●		35.0	8.99	●		140.0	137.55	●	
13.0	1.24	●		36.0	9.51	●		150.0	164.85	●	●
14.0	1.44	●		38.0	10.59	●		160.0	187.80	●	●
				40.0	11.74	●		170.0	202.65	●	●
15.0	1.65	●		42.0	12.95	●		180.0	237.30	●	●
16.0	1.88	●									
18.0	2.37	●		45.0	14.86	●		190.0	264.60	●	
19.0	2.65	●		50.0	18.35	●		200.0	294.00	●	●
20.0	2.94	●		55.0	22.20	●		210.0	309.75	●	●
				60.0	26.42	●	●	240.0	406.35	●	●
				65.0	31.01	●					



ROUND

DIN 1787
1782
40500


		E-Cu 57 C 11000		SF-Cu C 12200				E-Cu 57 C 11000		SF-Cu C 12200	
mm	kg/m			mm	kg/m	mm	kg/m	mm	kg/m		
5.0	0.23	●		35.0	11.45	●		100.0	100.57	●	
6.0	0.34	●		40.0	14.95	●		120.0	128.25		
8.0	0.60	●		45.0	18.92	●		150.0	202.00		
10.0	0.93	●		50.0	23.56	●					
12.0	1.34	●		55.0	28.04	●					
15.0	2.10	●		60.0	33.64	●	●				
18.0	3.03	●		70.0	45.79	●					
20.0	3.74	●		75.0	52.56	●					
25.0	5.84	●		80.0	59.81	●					
30.0	8.41	●		90.0	75.69	●					



SQUARE

DIN 1787
1761
17674
40500

		E-Cu 57 C 11000		SF-Cu C 12200				E-Cu 57 C 11000		SF-Cu C 12200	
mm	kg/m			mm	kg/m	mm	kg/m	mm	kg/m		
12.0	1.17	●									
14.0	1.59	●									
17.0	2.34	●									
19.0	2.92	●									
24.0	4.66	●									
27.0	5.90	●									



HEXAGONAL

DIN 1787
1763
17674
40500



FLAT BARS

			E-Cu 57 C 11000				E-Cu 57 C 11000				E-Cu 57 C 11000
mm	kg/m			mm	kg/m			mm	kg/m		
6 x 2.0	0.11		●	30 x 2.0	0.56		●	55 x 40.0	20.91		●
x 3.0	0.16		●	x 3.0	0.84		●	60 x 3.0	1.69		●
x 4.0	0.21		●	x 4.0	1.12		●	x 4.0	1.80		●
7 x 5.0	0.33		●	x 5.0*	1.41		●	x 5.0*	2.80		●
8 x 2.0	0.14		●	x 6.0	1.68		●	x 6.0	3.36		●
x 3.0	0.22		●	x 8.0*	2.25		●	x 8.0	4.48		●
x 4.0	0.30		●	x 10.0*	2.80		●	x 10.0*	5.61		●
x 5.0	0.38		●	x 12.0	3.36		●	x 12.0	6.73		●
10 x 2.0	0.19		●	x 15.0*	4.21		●	x 15.0*	8.41		●
x 3.0	0.28		●	x 20.0	5.61		●	x 20.0	11.21		●
x 4.0	0.38		●	x 25.0	7.01		●	x 25.0	14.02		●
x 5.0	0.47		●	35 x 2.0	0.65		●	x 30.0	16.82		●
x 6.0	0.53		●	x 3.0	0.98		●	x 35.0	19.62		●
x 8.0	0.75		●	x 4.0	1.31		●	x 40.0	22.43		●
12 x 2.0	0.22		●	x 5.0	1.64		●	x 50.0	28.04		●
x 3.0	0.34		●	x 6.0	1.96		●	65 x 10.0	6.07		●
x 4.0*	0.45		●	x 8.0	2.61		●	x 15.0	9.11		●
x 5.0*	0.56		●	x 10.0	3.27		●	x 20.0	12.15		●
x 6.0	0.67		●	x 12.0*	3.93		●	x 30.0	18.22		●
x 8.0	0.89		●	x 15.0	4.90		●	x 40.0	24.40		●
x 10.0	1.07		●	x 20.0	6.54		●	70 x 5.0	3.28		●
14 x 3.0	0.39		●	x 25.0	8.18		●	x 6.0	3.92		●
15 x 2.0	0.28		●	40 x 2.0	0.75		●	x 8.0	5.23		●
x 3.0	0.42		●	x 3.0	1.12		●	x 10.0	6.54		●
x 4.0	0.56		●	x 4.0	1.49		●	x 12.0	7.85		●
x 5.0	0.70		●	x 5.0*	1.87		●	x 15.0	9.81		●
x 6.0	0.84		●	x 6.0	2.25		●	x 20.0	13.08		●
x 8.0	1.12		●	x 8.0	2.99		●	x 25.0	16.36		●
x 10.0	1.41		●	x 10.0*	3.74		●	x 30.0	19.62		●
x 12.0	1.68		●	x 12.0	4.49		●	x 35.0	22.90		●
16 x 3.0	0.43		●	x 15.0	5.61		●	x 40.0	26.17		●
x 4.0*	0.60		●	x 20.0	7.48		●	x 50.0	32.71		●
x 5.0	0.75		●	x 25.0	9.35		●	80 x 5.0*	3.74		●
x 6.0	0.96		●	x 30.0	11.24		●	x 6.0	4.48		●
x 8.0	1.20		●	45 x 2.0	0.84		●	x 8.0*	5.99		●
x 10.0	1.61		●	x 3.0	1.27		●	x 10.0*	7.48		●
18 x 2.0	0.41		●	x 4.0	1.68		●	x 12.0	8.97		●
x 3.0	0.50		●	x 5.0	2.10		●	x 15.0*	11.21		●
x 4.0	0.67		●	x 6.0	2.52		●	x 20.0	14.95		●
x 6.0	1.01		●	x 8.0	3.37		●	x 25.0	18.69		●
x 10.0	1.68		●	x 10.0	4.21		●	x 30.0	22.43		●
20 x 2.0	0.38		●	x 12.0	5.05		●	x 35.0	26.17		●
x 3.0*	0.56		●	x 15.0	6.31		●	x 40.0	29.90		●
x 4.0	0.75		●	x 20.0	8.41		●	x 50.0	37.38		●
x 5.0*	0.93		●	x 25.0	10.63		●	x 60.0	44.86		●
x 6.0	1.12		●	x 30.0	12.63		●	85 x 3.0	2.38		●
x 8.0	1.49		●	x 40.0	18.94		●	x 25.0	20.01		●
x 10.0*	1.87		●	50 x 2.0	0.93		●	90 x 4.0*	3.36		●
x 12.0	2.25		●	x 3.0	1.41		●	x 5.0	4.21		●
x 15.0	2.80		●	x 4.0*	1.87		●	x 6.0	5.05		●
25 x 2.0	0.47		●	x 5.0*	2.34		●	x 8.0	6.73		●
x 3.0*	0.70		●	x 6.0*	2.80		●	x 10.0	8.41		●
x 4.0	0.93		●	x 8.0*	3.74		●	x 12.0	10.09		●
x 5.0	1.17		●	x 10.0*	4.67		●	x 15.0	12.62		●
x 6.0	1.41		●	x 12.0*	5.61		●	x 20.0	16.82		●
x 8.0	1.87		●	x 15.0*	7.01		●	x 25.0	21.03		●
x 10.0	2.34		●	x 20.0	9.35		●	x 30.0	25.23		●
x 12.0	2.80		●	x 25.0	11.69		●	x 40.0	33.64		●
x 15.0	3.51		●	x 30.0	14.02		●	x 50.0	42.05		●
x 20.0	4.57		●	x 35.0	16.36		●	x 60.0	50.49		●
				x 40.0	18.69		●				

DIN 1756
1787
1759
1782
40500

* also with radius edge acc. to
DIN 46433

mm		kg/m	E-Cu 57 C 11000	mm		kg/m	E-Cu 57 C 11000	mm		kg/m	E-Cu 57 C 11000
100 x	5.0	4.67	●	125 x	10.0	11.68	●	180 x	10.0	16.82	●
	x 6.0*	5.61	●		x 15.0	17.52	●		x 12.0	20.19	●
	x 8.0	7.48	●		x 20.0	23.36	●		x 15.0	25.23	●
	x 10.0*	9.35	●		x 25.0	29.20	●		x 20.0	33.64	●
	x 12.0	11.21	●		x 30.0	35.04	●		x 30.0	50.46	●
	x 15.0*	14.02	●		x 40.0	46.73	●		x 40.0	67.28	●
	x 20.0	18.69	●	140 x	6.0		●		x 50.0	84.11	●
	x 25.0	23.36	●		x 10.0*	13.08	●	200 x	6.0		●
	x 30.0	28.04	●		x 20.0	26.17	●		x 10.0*	18.69	●
	x 35.0	32.71	●		x 30.0	39.25	●		x 12.0	22.43	●
	x 40.0	37.38	●		x 40.0	52.33	●		x 15.0	28.04	●
	x 50.0	46.73	●		x 50.0	65.42	●		x 20.0	37.38	●
	x 60.0	56.07	●	150 x	5.0	7.01	●		x 25.0	46.73	●
	x 80.0	74.76	●		x 8.0	11.24	●		x 30.0	56.07	●
120 x	4.0	4.49	●		x 10.0	13.99	●		x 50.0	93.45	●
	x 5.0*	5.61	●		x 12.0	16.80	●		x 60.0	112.14	●
	x 6.0	6.72	●		x 15.0	21.02	●	250 x	10.0	23.36	●
	x 8.0	8.97	●		x 20.0	28.04	●		x 12.0	28.03	●
	x 10.0*	11.21	●		x 25.0	35.04	●		x 15.0	35.04	●
	x 12.0	13.46	●		x 30.0	42.05	●		x 20.0	46.73	●
	x 15.0	16.82	●		x 40.0	56.07	●		x 30.0	70.14	●
	x 20.0	22.43	●		x 50.0	70.09	●		x 40.0	93.45	●
	x 25.0	28.04	●	160 x	8.0	11.96	●		x 50.0	116.87	●
	x 30.0	33.64	●		x 10.0*	14.95	●				
	x 40.0	44.86	●		x 12.0	17.94	●				
	x 50.0	56.07	●		x 15.0	22.43	●				
	x 60.0	67.28	●		x 20.0	29.90	●				
	x 80.0	89.67	●		x 30.0	44.86	●				
					x 40.0	59.81	●				
					x 60.0	89.71	●				
					x 80.0	119.62	●				



FLAT BARS

DIN 1756
1787
1759
1782
40500

* also with radius edge acc. to
DIN 46433

Any FLAT BAR SIZE not listed
can be cut-to-size
at our SERVICE-CENTRE
with a tolerance on width
of 0.1 mm.

KOBBER

Runde rør, bløde i ringe

GR/MTR	udv	gods	(indv x udv)
20	2 x	0,5	(1,0 x 2,0)
45	3 x	0,75	(1,5 x 3,0)
80	4 x	1	(2,0 x 4,0)
110	5 x	1	(3,0 x 5,0)
140	6 x	1	(4,0 x 6,0)
200	8 x	1	(6,0 x 8,0)

GR/MTR	udv	gods	(indv x udv)
250	10 x	1	(8,0 x 10,0)
310	12 x	1	(10,0 x 12,0)
370	14 x	1	(12,0 x 14,0)
390	15 x	1	(13,0 x 15,0)
440	16 x	1	(14,0 x 16,0)

Runde rør, bløde i ringe, Tommemål

GR/MTR	udv	gods	(indv x udv)
89	3/16 "	x 0,8	(3,16 x 4,75)
124	1/4 "	x 0,8	(4,75 x 6,35)

GR/MTR	udv	gods	(indv x udv)
160	5/16 "	x 0,8	(6,34 x 7,94)

Runde rør, bløde i ringe, (køle / olie)

GR/MTR	udv	gods	(indv x udv)
120	1/4 "	x 0,75	(4,85 x 6,35)
195	3/8 "	x 0,8	(7,93 x 9,53)
240	3/8 "	x 1	(7,53 x 9,53)

GR/MTR	udv	gods	(indv x udv)
282	1/2 "	x 0,81	(11,10 x 12,70)
330	1/2 "	x 1	(10,70 x 12,70)
337	5/8 "	x 0,89	(14,10 x 15,88)

Bølge - plader, 1/2 hård

KG	Bølge på langs 5 mm
12,00	0,6 x 1000 x 2000

Hammer - plader, 1/2 hård

KG	
12,00	0,6 x 1000 x 2000

Kvadrat - plader, 1/2 hård

KG	
12,00	0,6 x 1000 x 2000

Stucco - plader, 1/2 hård

KG	
5,40	0,6 x 500 x 2000

Foliebånd, blød

KG/MTR	
0,07	0,05 x 150
0,09	0,075 x 150
0,13	0,10 x 150
0,20	0,15 x 150
0,26	0,20 x 150

KG/MTR	
0,33	0,25 x 150
0,40	0,30 x 150
0,53	0,40 x 150
0,67	0,50 x 150
0,80	0,60 x 150

KG/MTR	
0,93	0,70 x 150
1,07	0,80 x 150
1,20	0,90 x 150
1,34	1,00 x 150

Foliebånd, 1/2 hård

KG/MTR	
0,27	0,10 x 300
0,40	0,15 x 300
0,53	0,20 x 300

KG/MTR	
0,67	0,25 x 300
0,80	0,30 x 300

KG/MTR	
1,07	0,40 x 300
1,34	0,50 x 300